



Situation Report: Confirmed COVID-19	Location: The Gambia
Date of Report: 11th Nov 2020	Investigation Start Date: 17th March 2020 as of 18hrs.
Prepared by:	Epidemiology and Disease Control Unit, MoH, The Gambia

I. HIGHLIGHTS

This is the 193rd national situation report since the confirmation of the first case of the novel coronavirus disease (COVID-19) in The Gambia, on the 16th March 2020

- No new COVID-19 related death recorded
 - No new posthumous sample tested
- 1 new case registered, taking the total number of COVID-19 cases ever confirmed in the country to 3698
 - The newly confirmed case is a 26 – year - old male
- 146 new laboratory test results received from NPHL
 - No new test returned indeterminant / inconclusive
- 1 COVID-19 patient hospitalized at the Sanatorium recovered and got discharged
- The country currently has 24 people in quarantine, 19 active cases* and a crude case-fatality ratio of 3.3%

*The bulk of active cases are asymptomatic and are as such self-isolating at home pending the manifestation of symptoms

COVID-19 SITUATION IN NUMBERS

Globally

- Confirmed Cases: **52,427,797**
- Recoveries: **36,669,404**
- Deaths: **1,288,930**

Senegal

- Confirmed Cases: **15,735**
- Recoveries: **15,386**
- Deaths: **326**

The Gambia

- Confirmed Cases: **3,698**
- Recoveries: **3,557**
- Deaths: **122**

II. EPIDEMIOLOGICAL DESCRIPTION




Figure 1: Region-wise distribution of COVID-19 cases per 10,000 population, The Gambia, November 2020




Figure 2: Distribution of COVID-19 cases in Western and North Bank West Regions, The Gambia, 2020

- All 7 health regions have reported cases of COVID-19 (See Fig. 1)
- Notwithstanding its population and size, Banjul recorded more cases than any other location within WR1(See Fig. 2)

Figures 3 and 4 are the age-sex distribution and the Epi-curve of confirmed cases by reported date, respectively.




Fig. 3: Age-Sex Distribution of Confirmed COVID-19 Cases, The Gambia, 2020

* This excludes the 27 confirmed cases whose demographic information are not yet available

- About 59% of the confirmed cases are males (See Fig. 3)
- About 62% of the confirmed cases are below age 40 (See Fig. 3)
- The only age category with a few more female cases than males is the “age 20 and less” category (See Fig. 3)




Fig. 4: Epidemic Curve of Laboratory-Confirmed Cases by Date Reported, COVID-19 Pandemic, The Gambia, 2020*.
 * A considerable amount of time elapsed between date of reporting and the date of laboratory confirmation of some cases

- Three main waves of infection occurred – the pre airport closure wave, the importation from Senegal wave and the intermittent airport re-opening and loosening of restrictions wave (See Fig. 4)

Table 1: Summary of New and Cumulative Public Health Response Outputs, COVID-19 Pandemic, The Gambia, 2020

Status	New	Cumulative
No. of active cases in institutional isolation	7	
No. of COVID-19 patients on oxygen support	1	
No. of patients recovered and discharged	1	
In Quarantine	0	24
Completed Quarantine	0	2,702
Completed follow-up (asymptomatic people with travel history to affected countries) *	0	310
No. of Contact(s) Identified**	0	
No. of Contacts being monitored	0	
No. of Contacts who completed 14-day follow-up	0	14,664
No. of Contacts lost to follow-up	0	51
Total Tests conducted (Repeat Test (s))***	128 (18)***	22,362
Positive test result (Repeat Test (s))	1 (0)	3,698
Negative test result (Repeat Test (s))***	127 (18)***	17,522
Inconclusive test result (Repeat Test (s))***	0 (0)***	

* Follow-up completed prior to the 17th March (when the first confirmed case was reported)

** Includes both low-risk and high-risk contacts and not mutually exclusive with number quarantined (as some have been quarantined)

*** Includes repeat tests in bracket

III. Major Response Activities

Table 2: Major response activities undertaken newly, COVID-19 Outbreak, The Gambia, 2020

Component	Interventions
Coordination	<ul style="list-style-type: none"> Daily coordination meetings held at both central and regional levels
Surveillance/ Laboratory	<ul style="list-style-type: none"> 146 new laboratory test results received from NPHL Of these, no test result returned inconclusive or indeterminant and 1 new test returned positive for COVID-19
Case Management / Psychosocial Support & Research	<ul style="list-style-type: none"> 1 new patient recovered and got discharged

IV. GAPS/CHALLENGES:

- Support for innovative countrywide risk communication strategies and activities on COVID-19 is suboptimal
- A high site-specific test positivity rate recently recorded at one of the testing sites in the hinterland
- Security lapses at some of the treatment centers resulting in the abscondence of patients
- Dwindling compliance with mask-wearing requirements
- Low turn-out at COVID-19 sample collection sites resulting in fewer number of daily tests
- Denial, misinformation, stigma and discrimination against COVID-19 affected families
- The lack of a strong and reliable Internet connection at the NPHL is hampering the implementation of e-surveillance at the laboratory
- Uptick of COVID-19 among healthcare workers

V. NEXT STEPS/RECOMMENDATIONS:

- Intensify risk communication activities, on COVID-19 at community level, including at LUMOS, in a bid to curtail community transmission and dispel misinformation and denial
- More tests required in the catchment area of the MRC Keneba testing site to ascertain the extent of spread of COVID-19
- Security needs to be beefed up at all COVID-19 treatment/isolation centers to prevent the abscondence of patients
- Strengthen community-based surveillance in order to increase awareness and testing rates
- Urgently institute a robust community-based surveillance system in order to increase testing
- Thorough enforcement of the mandatory mask-wearing regulation
- Ensure there is reliable internet access at the NPHL to support the effective implementation of e-surveillance
- IPC measures should be strictly adhered to in all public and private health healthcare facilities
- Provision of adequate stocks of PPEs to all health facilities
- Health workers to observe all COVID-19 preventive measures including the donning of appropriate PPEs at all times
- Expedite the implementation of the Global Fund supported RCCE activities on COVID-19

For comments or questions, please contact:
Sana .M. Sambou
Public Health Emergency Operations Center
Epidemiology and Disease Control Unit, The Gambia
Email: sanasambou@hotmail.com Phone: +220 3516320/2422949

PARTNERS

