



Situation Report: Confirmed COVID-19		Location: The Gambia	
Date of Report: 07th Jan 2021		Investigation Start Date: 17th March 2020 as of 18hrs.	
Prepared by:	Epidemiology and Disease Control Unit, MoH, The Gambia		

I. HIGHLIGHTS

This is the 241st national situation report since the confirmation of the first case of the novel coronavirus disease (COVID-19) in The Gambia, on the 16th March 2020

- No new COVID-19 death recorded
- 3 new cases registered, bringing the total number of COVID-19 cases ever confirmed in the country to 3,841
 - The median age of the new cases (2 male and 1 female) is 32 (range: 18 to 56 years)
 - All 3 new cases sought to be tested by virtue of being intending travellers who needed COVID-19 test certificates
- 278 new laboratory test results received from NPHL
 - Of these, 2 new samples tested positive, representing a 1.1% test positivity rate
 - No new test returned indeterminate
- 52 high-risk contacts [of recently confirmed cases] have been identified and their follow-up began in earnest
- No new COVID-19 patients got discharged
- Whilst no people were newly taken into hotel quarantine, none was discharged either
- The country currently has no people in hotel quarantine, 39 active cases and a crude case-fatality ratio of 3.3%

COVID-19 SITUATION IN NUMBERS

Globally

- Confirmed Cases: **88,493,163**
- Recoveries: **63,600,002**
- Deaths: **1,905,879**

Senegal

- Confirmed Cases: **20,376**
- Recoveries: **17,885**
- Deaths: **438**

The Gambia

- Confirmed Cases: **3,841**
- Recoveries: **3,677**
- Deaths: **125**

II. EPIDEMIOLOGICAL DESCRIPTION




Figure 1: Geographic Distribution of Recent Tests Conducted Per 100,000 Pop. by Region, The Gambia, Nov. 11th – Dec. 10th

Distribution of Recent Cases Per 100,000 Pop. by Region




Figure 2: Geographic Distribution of Recent COVID-19 Cases Per 100,000 Pop. by Region, The Gambia, Nov. 11th – Dec. 10th

- Western 1 Health Region has a disproportionately higher number of cases than all the health regions (See Fig. 1)
- Regions furthest from testing sites had the lowest testing rates over the last 30 days (See Fig. 2)

Figures 3 and 4 are the age-sex distribution and the Epi-curve of confirmed cases by reported date, respectively.




Fig. 3: Age-Sex Distribution of Confirmed COVID-19 Cases, The Gambia, 2020

- ^{*}This excludes the 27 confirmed cases whose demographic information are not yet available
- About 59% of the confirmed cases are males (See Fig. 3)
- About 62% of the confirmed cases are below age 40 (See Fig. 3)

- The only age category with a few more female cases than males is the “age 20 and less” category (See Fig. 3)




Fig. 4: Epidemic Curve of Laboratory-Confirmed Cases by Date Reported, COVID-19 Pandemic, The Gambia, 2020*.

* A considerable amount of time elapsed between date of reporting and the date of laboratory confirmation of some cases

- Three main waves of infection occurred – the pre airport closure wave, the importation from Senegal wave and the intermittent airport re-opening and loosening of restrictions wave (See Fig. 4)

Table 1: Summary of New and Cumulative Public Health Response Outputs, COVID-19 Pandemic, The Gambia, 2020

Status	New	Cumulative
No. of active cases in institutional isolation		22
No. of COVID-19 patients on oxygen support		1
No. of patients recovered and discharged	0	
In Hotel Quarantine	0	0
Completed Hotel Quarantine	0	2,983
Completed follow-up (asymptomatic people with travel history to affected countries) *	0	310
No. of Contact(s) Identified**	52	
No. of Contacts being monitored	316	
No. of Contacts who completed 14-day follow-up	9	14,797
No. of Contacts lost to follow-up	0	51
Total Tests conducted (Repeat Test (s))***	244 (34)***	31,869
Positive test result (Repeat Test (s))	3 (0)	3,841
Negative test result (Repeat Test (s))***	242 (33)***	26,727
Inconclusive test result (Repeat Test (s))***	0 (0)***	2

* Follow-up completed prior to the 17th March (when the first confirmed case was reported)

** Includes both low-risk and high-risk contacts and not mutually exclusive with number quarantined (as some have been quarantined)

*** Includes repeat tests in bracket

III. Major Response Activities

Table 2: Major response activities undertaken newly, COVID-19 Outbreak, The Gambia, 2020

Component	Interventions
Coordination	<ul style="list-style-type: none"> Daily coordination meetings held at both central and regional levels
Surveillance/ Laboratory	<ul style="list-style-type: none"> 278 new laboratory test results received from NPHL Of these, while 3 new test result returned inconclusive or indeterminant, 0 new samples tested positive
Case Management / Psychosocial Support & Research / IPC	<ul style="list-style-type: none"> No new COVID-19 patient got discharged 1 patient is currently on oxygen therapy

IV. GAPS/CHALLENGES:

- CBS activities not translating to increase in the number of daily tests being conducted
- Regions furthest from testing sites had the lowest testing rates over the last 30 days
- Support for innovative countrywide risk communication strategies and activities on COVID-19 is suboptimal
- Security lapses at some of the treatment centers resulting in the abscondence of patients
- Dwindling compliance with mask-wearing requirements
- Low turn-out at COVID-19 sample collection sites resulting in fewer number of daily tests
- Denial, misinformation, stigma and discrimination against COVID-19 affected families
- The lack of a strong and reliable Internet connection at the NPHL is hampering the implementation of e-surveillance at the laboratory

V. NEXT STEPS/RECOMMENDATIONS:

- CBS activities need to be synchronized with MRC's ILI surveillance to spur up testing rates in the hinterland
- Expedite the process of having testing sites in CRR and NBW
- Intensify risk communication and community engagement activities, on COVID-19 at community level, including at LUMOS, in a bid to curtail community transmission and dispel misinformation and denial
- More tests required in the catchment area of the MRC Keneba testing site to ascertain the extent of spread of COVID-19
- Security needs to be beefed up at all COVID-19 treatment/isolation centers to prevent the abscondence of patients
- Strengthen community-based surveillance in order to increase awareness and testing rates
- Thorough enforcement of the mandatory mask-wearing regulation
- Ensure there is reliable internet access at the NPHL to support the effective implementation of e-surveillance
- IPC measures should be strictly adhered to in all public and private health healthcare facilities
- Provision of adequate stocks of PPEs to all health facilities

- Health workers to observe all COVID-19 preventive measures including the donning of appropriate PPEs at all times

For comments or questions, please contact:
Sana .M. Sambou
 Public Health Emergency Operations Center
 Epidemiology and Disease Control Unit, The Gambia
Email: sanasambou@hotmail.com Phone: +220 3516320/2422949

PARTNERS

