



<b>Situation Report: Confirmed COVID-19</b>		<b>Location: The Gambia</b>	
<b>Date of Report: 09<sup>th</sup> &amp; 10<sup>th</sup> Jan 2021</b>		<b>Investigation Start Date: 17<sup>th</sup> March 2020 as of 18hrs.</b>	
<b>Prepared by:</b>	<b>Epidemiology and Disease Control Unit, MoH, The Gambia</b>		

## I. HIGHLIGHTS

This is the 243<sup>rd</sup> national situation report since the confirmation of the first case of the novel coronavirus disease (COVID-19) in The Gambia, on the 16th March 2020

- 19 new cases registered, bringing the total number of COVID-19 cases ever confirmed in the country to 3,876
  - The median age of the new cases (16 male and 3 female) is 39 (range: 9 to 83 years)
  - While 3 of the new cases had their samples mandatorily collected at the airport upon travelling into the country without valid test results, 1 is epi-linked to recent cases
  - While 3 were tested for being sick with flu-like symptoms, the remaining 13 (68%) sought to be tested on account of being intending travellers
- 570 new laboratory test results received (18 from MRC and 552 from NPHL)
  - Of these, 19 new samples tested positive, representing a 3.3% test positivity rate
  - 5 new tests returned indeterminate
- 60 high-risk contacts [of recently confirmed cases] have been identified and their follow-up began in earnest
- 1 new COVID-19 patient got discharged
- 1 COVID-19 patient absconded from the Ndemban Clinic Treatment Center
- 16 people were newly taken into hotel quarantine for coming into the country without valid negative COVID-19 PCR test certificates but have since been discharged
- The country currently has no people in hotel quarantine, 72\* active cases and a crude case-fatality ratio of 3.2%

## COVID-19 SITUATION IN NUMBERS

### Globally

- Confirmed Cases: **90,676,829**
- Recoveries: **64,806,093**
- Deaths: **1,942,627**

### Senegal

- Confirmed Cases: **21,245**
- Recoveries: **18,218**
- Deaths: **465**

### The Gambia

- Confirmed Cases: **3,876**
- Recoveries: **3,678**
- Deaths: **125**

\*1 patient absconded from the Ndemban Clinic Treatment Center

## II. EPIDEMIOLOGICAL DESCRIPTION





Fig 1: Geographic Distribution of Recent Tests Conducted Per 100,000 Pop. by Region, Dec 11<sup>th</sup> 2020 – Jan 9<sup>th</sup> 2021


## Recent COVID-19 Cases Per 1,000,000 Pop.



**Fig 2: Geographic Distribution of Recent COVID-19 Cases Per 1,000,000 Pop. by Region, Dec 11<sup>th</sup> 2020 – Jan 9<sup>th</sup> 2021**

- Western 1 Health Region has a disproportionately higher number of cases than all the health regions (See Fig. 1)
- Regions furthest from testing sites had the lowest testing rates over the last 30 days (See Fig. 2)

Figures 3 and 4 are the age-sex distribution and the Epi-curve of confirmed cases by reported date, respectively.




**Fig. 3: Age-Sex Distribution of Confirmed COVID-19 Cases, The Gambia, 2020**

\* This excludes the 27 confirmed cases whose demographic information are not yet available

- About 59% of the confirmed cases are males (See Fig. 3)
- About 62% of the confirmed cases are below age 40 (See Fig. 3)

- The only age category with a few more female cases than males is the “age 20 and less” category (See Fig. 3)



**Fig. 4:** Epidemic Curve of Laboratory-Confirmed Cases by Date Reported, COVID-19 Pandemic, The Gambia, 2020\*.  
 \* A considerable amount of time elapsed between date of reporting and the date of laboratory confirmation of some cases

- Three main waves of infection occurred – the pre airport closure wave, the importation from Senegal wave and the intermittent airport re-opening and loosening of restrictions wave (See Fig. 4)

**Table 1: Summary of New and Cumulative Public Health Response Outputs, COVID-19 Pandemic, The Gambia, 2020**

Status	New	Cumulative
No. of active cases in institutional isolation		36
No. of COVID-19 patients on oxygen support		1
No. of patients recovered and discharged	1	
In Hotel Quarantine	16	0
Completed Hotel Quarantine	16	2,999
Completed follow-up (asymptomatic people with travel history to affected countries) *	0	310
No. of Contact(s) Identified**	60	
No. of Contacts being monitored	372	
No. of Contacts who completed 14-day follow-up	4	14,801
No. of Contacts lost to follow-up	0	51
Total Tests conducted (Repeat Test (s))***	444 (126)***	32,833
Positive test result (Repeat Test (s))	19 (0)	3,857
Negative test result (Repeat Test (s))***	420 (126)***	27,647
Inconclusive test result (Repeat Test (s))***	5 (0)***	5

\* Follow-up completed prior to the 17<sup>th</sup> March (when the first confirmed case was reported)

\*\* Includes both low-risk and high-risk contacts and not mutually exclusive with number quarantined (as some have been quarantined)

\*\*\* Includes repeat tests in bracket

### III. Major Response Activities

**Table 2: Major response activities undertaken newly, COVID-19 Outbreak, The Gambia, 2020**

Component	Interventions
<b>Coordination</b>	<ul style="list-style-type: none"> <li>Daily coordination meetings held at both central and regional levels</li> </ul>
<b>Surveillance/ Laboratory</b>	<ul style="list-style-type: none"> <li>570 new laboratory test results received (18 from MRC and 552 from NPHL)</li> <li>Of these, while 5 new test results returned inconclusive or indeterminant, 19 and 16 new samples tested positive</li> </ul>
<b>Case Management / Psychosocial Support &amp; Research / IPC</b>	<ul style="list-style-type: none"> <li>1 new COVID-19 patient got discharged</li> <li>1 COVID-19 patient absconded from the Ndemban Clinic Treatment Center</li> <li>1 patient is currently on oxygen therapy</li> </ul>

#### Risk Communication & Community Engagement

Total No. of Calls received on toll free helpline	No. of communities reached on COVID-19 through messaging on prevention and access to services	Toll Free Helpline: No. of people shared their concerns and asking questions/clarifications for available support services to address their needs	Radio phoning programme: No. of people shared their concerns and asking questions/clarifications for available support services to address their needs	TV phoning programme: No. of people shared their concerns and asking questions/clarifications for available support services to address their needs	Social Media pages: No. of people react to post and or shared their concerns and asking questions/clarifications for available support services to address their needs
<b>66</b>	<b>40</b>	<b>66</b>	<b>12</b>	<b>0</b>	<b>302</b>

### IV. GAPS/CHALLENGES:

- CBS activities not translating to increase in the number of daily tests being conducted
- Regions furthest from testing sites had the lowest testing rates over the last 30 days
- Support for innovative countrywide risk communication strategies and activities on COVID-19 is suboptimal
- Security lapses at some of the treatment centers resulting in the abscondence of patients
- Dwindling compliance with mask-wearing requirements
- Low turn-out at COVID-19 sample collection sites resulting in fewer number of daily tests
- Denial, misinformation, stigma and discrimination against COVID-19 affected families
- The lack of a strong and reliable Internet connection at the NPHL is hampering the implementation of e-surveillance at the laboratory

### V. NEXT STEPS/RECOMMENDATIONS:

- CBS activities need to be synchronized with MRC's ILI surveillance to spur up testing rates in the hinterland
- Expedite the process of having testing sites in CRR and NBW
- Intensify risk communication and community engagement activities, on COVID-19 at community level, including at LUMOS, in a bid to curtail community transmission and dispel misinformation and denial
- More tests required in the catchment area of the MRC Keneba testing site to ascertain the extent of spread of COVID-19

- Security needs to be beefed up at all COVID-19 treatment/isolation centers to prevent the abscondence of patients
- Strengthen community-based surveillance in order to increase awareness and testing rates
- Thorough enforcement of the mandatory mask-wearing regulation
- Ensure there is reliable internet access at the NPHL to support the effective implementation of e-surveillance
- IPC measures should be strictly adhered to in all public and private health healthcare facilities
- Provision of adequate stocks of PPEs to all health facilities
- Health workers to observe all COVID-19 preventive measures including the donning of appropriate PPEs at all times

**For comments or questions, please contact:**  
**Sana .M. Sambou**  
 Public Health Emergency Operations Center  
 Epidemiology and Disease Control Unit, The Gambia  
**Email:** [sanasambou@hotmail.com](mailto:sanasambou@hotmail.com) **Phone:** +220 3516320/2422949

**PARTNERS**

