



Situation Report: Confirmed COVID-19	Location: The Gambia
Date of Report: 11th & 12th August 2021	Investigation Start Date: 17th March 2020 as of 18hrs.
Prepared by: Epidemiology and Disease Control Unit, MoH, The Gambia	

I. HIGHLIGHTS

This is the 355th national situation report since the confirmation of the first case of the coronavirus disease (COVID-19) in The Gambia, on the 16th March 2020

- Eight (6+2 Posthumous) new COVID-19-related deaths registered, bringing the total to 271 (Crude case-fatality ratio, 2.9%)
- The decedents' age range from 32 - 77 years (6 males and 2 females)
 - All had severe COVID-19 pneumonia and admitted in the COVID 19 treatment centres
- Daily deaths, 1, 4 and 2 deaths were reported on the 7th, 11th and 12th respectively
- A total of 122 new cases (67 & 55 cases reported on 11th & 12th respectively) were registered (cumulative cases, 9,195)
- The test positivity rate is 13.3% (122 / 919) of which MRCG tested 67 (17 positive) and NPHL 852 (105 positive)
 - Of the total new cases, 40 were males and 82 were females, with a median age of 39 years (Range: 1 – 88 years)
 - Thirty-six (36) cases are currently on oxygen therapy
 - For reason of testing, 52 (43%) tested for travelling, 18 (14%) for suspicion of COVID-19, 1 (0.8%) contact with a confirmed case and 14 (12%) wanted to know their COVID-19 status and 35 (29%) unknown reason.
- Sixteen (16) cases were newly discharged from treatment centres, while 80 got discharged at least 10 days from the day they tested positive but evaded institutional isolation
- No new contacts were traced and monitored
- As of 12th August 2021, 124,043 and 4,182 people received their single dose of Janssen & Janssen and 1st dose of Sinopharm vaccine respectively
- Of the total national target population (≥ 18 years) been vaccinated:
 - 8.7% are fully vaccinated (received two doses of AZ or 1 dose of J&J)
 - 10% received at least one COVID-19 vaccine dose (AZ or J&J or Sinopharm)

COVID-19 SITUATION IN NUMBERS

Globally

- 👤 Confirmed Cases: 206,346,981
- 👤 Recoveries: 185,171,851
- ➡ Deaths: 4,350,117

Senegal

- 👤 Confirmed Cases: 69,576
- 👤 Recoveries: 52,498
- ➡ Deaths: 1,554

The Gambia

- 👤 Confirmed Cases: 9,195
- 👤 Active Cases: 623
- 👤 Recoveries: 8,301
- ➡ Deaths: 271

II. EPIDEMIOLOGICAL DESCRIPTION




Fig1: Geographic Distribution of COVID-19 Confirmed Cases per 100,000 Pop. by Region in The Gambia since the start of the Pandemic to 31st July 2021

- Western 1 Health Region has a disproportionately higher number of cases than all the health regions (**See Fig. 1**)
- Below are the age-sex distribution and the Epi-curve of confirmed cases by reported date, respectively (**See Fig. 2 and 3**)




Fig 2: Age-Sex Distribution of Confirmed COVID-19 Cases, The Gambia, 2021

✧ This excludes the 27 confirmed cases whose demographic information are not yet available

About 59% of the confirmed cases are males (**See Fig. 2**)

About 58.6% of the confirmed cases are 40 years below (**See Fig. 2**)




Fig. 3: Epidemic Curve of Laboratory-Confirmed Cases Reported daily, COVID-19 Pandemic, The Gambia, 16th March 2020-10th August 2021*.

A considerable amount of time elapsed between date of reporting and the date of laboratory confirmation of some cases

- Three main waves of infection occurred – the pre airport closure wave, the importation from Senegal wave and the intermittent airport re-opening and loosening of restrictions wave (See Fig. 3)

Status	New	Cumulative
No. of active cases in institutional isolation		79
No. of COVID-19 patients on oxygen support		36
No. of patients recovered and discharged	96	
In Hotel Quarantine	0	19
Completed Hotel Quarantine	0	5,240
Completed follow-up (asymptomatic people with travel history to affected countries) *	0	310
No. of Contact(s) Identified**	0	
No. of Contacts being monitored	4	
No. of Contacts who completed 14-day follow-up	9	17,115
No. of Contacts lost to follow-up	0	58
Total Tests conducted (Repeat Test (s))***	919(0)***	95,471
Positive test result (Repeat Test (s))	122(0)	9,195
Negative test result (Repeat Test (s))***	795(0)***	85,041
Inconclusive test result (Repeat Test (s))***	2(0)***	

Table 2: Summary of New and Cumulative Public Health Response Outputs, COVID-19 Pandemic, The Gambia, 2021

* Follow-up completed prior to the 17th March (when the first confirmed case was reported)

** Includes both low-risk and high-risk contacts and not mutually exclusive with number quarantined (as some have been quarantined) *** Includes repeat tests in bracket

III. MAJOR RESPONSE ACTIVITIES

Component	Interventions
Coordination	<ul style="list-style-type: none"> • <i>Coordination meetings held at both central and regional levels</i>
Surveillance/ Laboratory	<ul style="list-style-type: none"> • <i>A total of 919 new laboratory test results received 67 from MRCG and 852 from NPHL)</i> <ul style="list-style-type: none"> ○ <i>Of these, 2 test results returned inconclusive or indeterminate, 122 new samples tested positive</i>
Case Management / Psychosocial Support & Research / IPC	<ul style="list-style-type: none"> • <i>Eight (6+2 posthumous) new COVID-19 related deaths recorded</i> • <i>Sixteen(16) patients were newly discharged from treatment centres</i> • <i>No new contact was traced and monitored</i> • <i>Thirty-six (36) COVID-19 patients are currently on oxygen therapy</i>

Table 3: Major response activities undertaken newly, COVID-19 Outbreak, The Gambia, 2021

IV. GAPS/CHALLENGES:

- CBS activities not translating to increase in the number of daily tests being conducted
- Support for innovative countrywide risk communication strategies and activities on COVID-19 is suboptimal
- Security lapses at some of the treatment centers resulting in the abscondence of patients
- Dwindling compliance with mask-wearing requirements
- Low turn-out at COVID-19 sample collection sites resulting in fewer number of daily tests
- Denial, misinformation, stigma and discrimination against COVID-19 affected families.
- Weak and unreliable internet connection at the NPHL is hampering the implementation of e-surveillance at the laboratory.

V. NEXT STEPS/RECOMMENDATIONS:

- CBS activities need to be synchronized with MRC's ILI surveillance to spur up testing rates in the hinterland.
- Speed up having testing sites in CRR and NBW
- Intensify risk communication and community engagement activities, on COVID-19 at community level, including at LUMOS, in a bid to curtail community transmission and dispel misinformation and denial and vaccine hesitancy
- More tests required in the catchment area of the MRC Keneba testing site to ascertain the extent of spread of COVID-19
- Security needs to be beefed up at all COVID-19 treatment/isolation centers to prevent the abscondence of patients
- Strengthen community-based surveillance to increase awareness and testing rates
- Thorough enforcement of the mandatory mask-wearing regulation
- IPC measures should be strictly adhered to in all public and private health healthcare facilities
- Provision of adequate stocks of PPEs to all health facilities
- Health workers to observe all COVID-19 preventive measures always including the donning of appropriate PPEs

For comments or questions, please contact:
Sana M. Sambou
Public Health Emergency Operations Center
Epidemiology and Disease Control Unit, The Gambia
Email: sanamsambou@hotmail.com **Phone:** +220 3516320/2422949

PARTNERS

