



Situation Report: Confirmed COVID-19		Location: The Gambia	
Date of Report: 2nd & 3rd October 2021		Investigation Start Date: 17th March 2020 as of 18hrs.	
Prepared by:	Epidemiology and Disease Control Unit, MoH, The Gambia		

I. HIGHLIGHTS

This is the 384th national situation report since the confirmation of the first case of the coronavirus disease (COVID-19) in The Gambia, on the 16th March 2020

- No new COVID-19-related death registered, bringing the total to 338 (Crude Case-Fatality Ratio, 3.4%)
- Four (4) new case was registered (cumulative cases 9,939)
- All the 4 cases were registered for 2nd October 2021
- All tested for reasons of travellings
- The test positivity rate is 0.45 (4/880), NPHL – 866 (4 positive) MRCG – 14 (0 Positives)
 - Four (4) cases are currently on oxygen therapy
- Two (2) cases were newly discharged from the treatment centres, and zero (0) after at least 10 days from the day they tested positive but evaded institutional isolation
- No new contacts traced and monitored
- As of 3rd October 2021, the following number of people have been vaccinated with:
 - Janssen & Janssen:
 - Only 1 dose: 149,265
 - Sinopharm:
 - Dose 1: 4,457
 - Dose 2: 3,191
 - AstraZeneca:
 - Dose 1: 31,963
 - Dose 2: 20,643
- Of the total national target population (≥ 18 years) been vaccinated:
 - 11.1% are fully vaccinated (2 doses of AZ/Sinopharm or 1 dose of J&J)
 - 11.9% received at least one COVID-19 vaccine dose (AZ or J&J or Sinopharm)

COVID-19 SITUATION IN NUMBERS

Globally

- 👤 Confirmed Cases: 236,275,344
- 🌿 Recoveries: 213,332,352
- 🚑 Deaths: 4,825,157

Senegal

- 👤 Confirmed Cases: 73,806
- 🌿 Recoveries: 71,888
- 🚑 Deaths: 1,860

The Gambia

- 👤 Confirmed Cases: 9,939
- 👤 Active Cases: 10
- 🌿 Recoveries: 9,591
- 🚑 Deaths: 338

II. EPIDEMIOLOGICAL DESCRIPTION




Fig 1: Geographic Distribution of COVID-19 cases per 100,000 Pop. by Region since the start of Pandemic to 31st August 2021 (Number Above) and the month of August 2021 (Number below) in The Gambia

- Western 1 Health Region has a disproportionately higher number of cases than all the health regions (**See Fig. 1**)
- Below are the age-sex distribution and the Epi-curve of confirmed cases by reported date, respectively (**See Fig. 2 and 3**)




Fig 2: Age-Sex Distribution of Confirmed COVID-19 Cases, The Gambia, 2021

✧ This excludes the 27 confirmed cases whose demographic information are not yet available
 About 59% of the confirmed cases are males (**See Fig. 2**)
 About 58.6% of the confirmed cases are 40 years below (**See Fig. 2**)




Fig. 3: Epidemic Curve of Laboratory-Confirmed Cases Reported daily, COVID-19 Pandemic, The Gambia, 16th March 2020-10th August 2021*.

A considerable amount of time elapsed between date of reporting and the date of laboratory confirmation of some cases

- Three main waves of infection occurred – the pre airport closure wave, the importation from Senegal wave and the intermittent airport re-opening and loosening of restrictions wave (**See Fig. 3**)

Status	New	Cumulative
No. of active cases in institutional isolation		8
No. of COVID-19 patients on oxygen support		4
No. of patients recovered and discharged	0	
In Hotel Quarantine	0	19
Completed Hotel Quarantine	0	5,240
Completed follow-up (asymptomatic people with travel history to affected countries) *	0	310
No. of Contact(s) Identified**	0	
No. of Contacts being monitored	0	
No. of Contacts who completed 14-day follow-up	0	17,119
No. of Contacts lost to follow-up	0	58
Total Tests conducted (Repeat Test (s))***	880(0)***	112,626
Positive test result (Repeat Test (s))	4(0)	9,939
Negative test result (Repeat Test (s))***	876(0)***	101,432
Inconclusive test result (Repeat Test (s))***	0(0)***	

Table 2: Summary of New and Cumulative Public Health Response Outputs, COVID-19 Pandemic, The Gambia, 2021

* Follow-up completed prior to the 17th March (when the first confirmed case was reported)

** Includes both low-risk and high-risk contacts and not mutually exclusive with number quarantined (as some have been quarantined) *** Includes repeat tests in bracket

III. MAJOR RESPONSE ACTIVITIES

Component	Interventions
Coordination	<ul style="list-style-type: none"> • <i>Coordination meetings held at both central and regional levels</i>
Surveillance/ Laboratory	<ul style="list-style-type: none"> • <i>A total of 880 new laboratory test results received 14 from MRCG and 866 from NPHL</i> <ul style="list-style-type: none"> ○ <i>Of these, no test result returned inconclusive or indeterminate, 4 new samples tested positive</i>
Case Management / Psychosocial Support & Research / IPC	<ul style="list-style-type: none"> • <i>No new COVID-19 related death recorded</i> • <i>Two (2) patients were newly discharged from treatment centres</i> • <i>No new contact traced and monitored</i> • <i>Four (4) COVID-19 patients are currently on oxygen therapy</i>

Table 3: Major response activities undertaken newly, COVID-19 Outbreak, The Gambia, 2021

IV. GAPS/CHALLENGES:

- CBS activities not translating to increase in the number of daily tests being conducted
- Support for innovative countrywide risk communication strategies and activities on COVID-19 is suboptimal
- Dwindling compliance with mask-wearing requirements
- Low turn-out at COVID-19 sample collection sites resulting in fewer number of daily tests
- Denial, misinformation, stigma and discrimination against COVID-19 affected families.
- Low COVID 19 Vaccination coverage rate

V. NEXT STEPS/RECOMMENDATIONS:

- CBS activities need to be synchronized with MRC's ILI surveillance to spur up testing rates in the hinterland.
- Intensify risk communication and community engagement activities, on COVID-19 at community level, including at LUMOS, in a bid to curtail community transmission and dispel misinformation and denial and vaccine hesitancy
- Strengthen community-based surveillance to increase awareness and testing rates
- Thorough enforcement of the mandatory mask-wearing regulation
- IPC measures should be strictly adhered to in all public and private health healthcare facilities
- Provision of adequate stocks of PPEs to all health facilities
- Health workers to observe all COVID-19 preventive measures always including the donning of appropriate PPEs
- Intensify activities geared to increase COVID-19 vaccination coverage at all levels

For comments or questions, please contact:
Sana M. Sambou
Public Health Emergency Operations Center
Epidemiology and Disease Control Unit, The Gambia
Email: sanamsambou@hotmail.com **Phone:** +220 3516320/2422949

PARTNERS

